

DATE SHIPPED TO LABORATORY		DOCTOR DUE DATE		
PATIENT NAME		SEX	AGE	
DOCTOR NAME		DOCTOR MOBILE	DOCTOR EMAIL	☐ RUSH CASE BY
OFFICE ADDRESS		DOCTOR LICENSE #		

ENCLOSED WITH CASE: ☐ MODEL ☐ METAL TRAYS ☐ BITE ☐ SHADE TAB ☐ ARTICULAR BITE ☐ IMPRESSIONS ☐ PHOTO (PREFERRED) ☐ OTHER _____

FIXED RESTORATIONS

- ☐ FELDSPATHIC ☐ PFM
☐ VENEER ☐ HIGH NOBLE ☐ WHITE ☐ YELLOW
☐ PORCELAIN JACKET CROWN (PJC) ☐ NOBLE ☐ SEMI-PRECIOUS
☐ MINIMAL PREP VENEER ☐ NON-PRECIOUS

- ☐ FULL CONTOUR ☐ LAYERED

- ☐ EMAX ☐ ZIRCONIA ☐ INLAY /ONLAY
☐ VENEER ☐ CROWN ☐ CROWN
☐ CROWN ☐ BRIDGE ☐ BRIDGE
☐ BRIDGE ☐ FULL GOLD CROWN INLAY POST

ESTHETICS

ANATOMY MORPHOLOGY	OCCUSAL STAIN	TRANSLUCENCY	SURFACE TEXTURE	SURFACE FINISH
☐ LVI	☐ NONE	☐ NONE	☐ SMOOTH	☐ HIGH GLOSS
☐ LIGHT	☐ LIGHT	☐ LIGHT	☐ MODERATE	☐ MEDIUM GLOSS
☐ MEDIUM	☐ MEDIUM	☐ MEDIUM	☐ HEAVY	☐ MATTE
☐ HEAVY	☐ HEAVY	☐ HEAVY		

ADDITIONAL CONSIDERATIONS

PONTIC DESIGN					
	☐ RIDGE LAP	☐ OVATE	☐ MODIFIED RIDGE CAP	☐ STAIN	☐ SANITARY
INADEQUATE CLEARANCE	☐ SPOT OPPOSING ☐ REDUCTION COPING				
PORCELAIN BUTT MARGIN	☐ 180° ☐ 360°				
METAL ZONE	☐ LINGUAL ☐ MARGIN ☐ OCCLUSAL				

REMOVABLE PROSTHETICS

- ☐ UPPER ☐ LOWER ☐ CUSTOM TRAY ☐ BITE BLOCK ☐ SETUP TRY-IN ☐ RESET ☐ FINISH

FULL DENTURE

- ☐ STANDARD ☐ PREMIUM

IMMEDIATES

- ☐ EXTRACT ALL ☐ EXTRACT TOOTH # _____

NON-METAL PARTIAL

- ☐ FLEXIBLE PARTIAL ☐ VALPLAST ☐ 3D PRINTED

ACRYLIC PARTIAL

- ☐ FLIPPER (1 TOOTH) ☐ STAYPLATE (2-5 TEETH) ☐ ACRYLIC PARTIAL (6+ TEETH)

COMBO PARTIALS

- ☐ FLEXIBLE PARTIAL ☐ ACRYLIC PARTIAL

CAST METAL PARTIAL

- ☐ CAST METAL (CHROME COBALT) ☐ VITALLIUM 2000


- GINGIVA SHADE ☐ G1 ☐ G2 ☐ G3 ☐ G4 ☐ G5
 MISCELLANEOUS ☐ AESTHETIC CLASPS ☐ FLEXIBLE CLASPS ☐ WROUGHT WIRE CLASPS
☐ REFLINE ☐ REPAIR ☐ EXTENSIVE REPAIR ☐ STRENGTHENER

IMPLANT PROSTHODONTICS

INCLUDES MODEL, MILLED CUSTOM ABUTMENT OR TI BASE, SCREW OR ABUTMENT
 INSERTION GUIDE AND RESTORATION OF CHOICE:

- ☐ TITANIUM ABUTMENT ☐ ZIRCONIA ABUTMENT ☐ ASC FULL CONTOURED
☐ TI-BASE ☐ CEMENT-RETAINED ☐ SCREW-RETAINED

SHADE INFORMATION



STUMP SHADE


SHADE DESIRED _____

EMERGENCE PROFILE AND MARGIN DEPTH PARAMETER

TISSUE DISPLACEMENT /
EMERGENCE PROFILE

- ☐ MINIMAL (0.5MM)
☐ MODERATE (1.0 MM)
☐ ANATOMICAL (FULL TOOTH SHAPE)

MARGIN DEPTH



TEMPORARIES

- ☐ VENEER ☐ BRIDGE ☐ WIRE REINFORCED ☐ STUDY MODEL ☐ PUTTY MATRIX ☐ CLEAR SILICONE ☐ CLEAR SILICONE
☐ CROWN ☐ FIBER REINFORCED ☐ WHITE WAX-UP ☐ VACUUM FORMING TRAY ☐ NIGHT GUARD ☐ HARD ☐ SOFT ☐ HARD/SOFT

OVERDENTURE SPECIFICATIONS

- ☐ BAR-RETAINED
☐ HADER ☐ DOLDER ☐ OTHER _____
☐ ATTACHMENT-RETAINED
☐ LOCATOR ☐ BALL ☐ OTHER _____
☐ REINFORCED WITH METAL PARTIAL FRAME

OVERDENTURE SPECIFICATIONS

- ☐ COMPUTER GENERATED
☐ 2MM PILOT
☐ GUIDE HOLE ☐ SLEEVE ☐ NO SLEEVE
☐ FULLY GUIDED

- ☐ DIGITAL PLANNING WITH DOCTOR

DATE & TIME

☐ _____
☐ _____

